

BIO-CIRCLE L™

Bioremediating Parts Cleaner / Degreaser

BIO-CIRCLE L™ is an innovative, pH neutral cleaner specifically designed for use with BIO-CIRCLE® parts cleaning systems. It effectively removes oil and grease from parts while maintaining its cleaning power over time thanks to the self-cleaning action of natural bioremediation. It is the safest & most effective replacement for hazardous solvents in manual parts cleaning applications. It eliminates health & safety risks and frequent waste disposal.

Features & Benefits:

- Powerful cleaning action
- Non-stick formula helps lift and flush away toughest grease
- Self-cleaning action maintains cleaning efficiency over time
- Non-toxic, non-flammable, VOC-free, pH neutral
- Safe on all metals and most surfaces
- Contains temporary corrosion inhibitors
- Non-soapy, pleasant scent
- Free of CFC and HCFC
- NSF registered (category code C1, registration number 141285)
- Accepted for use in food plants in Canada



Nonfood Compounds
Program Listed (C1)
(141285)

Applications:

BIO-CIRCLE L™ removes:

- Most types of mineral and natural oils
- Most cutting lubricants
- Most NLGI 2 and lower, mineral greases, more specifically:
 - Chassis and bearing grease
 - Polyurea grease
 - Impact grease
 - Water resistant bearing grease
 - High temperature moly grease
 - Food grade grease
- Carbon deposits
- Fresh tar and resin products

(M)SDS available upon request or visit our web site at www.walter.com

Not for product specification. The technical data contained herein is intended as reference only and may change without notice.

Walter Surface Technologies Inc.
810 Day Hill Rd, Windsor, CT 06095, United States
Tel: 1-866-592-5837 / Fax 1-860-298-1112

BIO-CIRCLE L™

Recommendations for Use:

- Do not dilute
- Use only with the BIO-CIRCLE™ parts cleaning systems
- Spray / soak parts with OMNI™ (53-X 003/53-X 007) or CB 100™ (53-G 163/53-G 167) or CB100 ALU™ (53-G 123/53-G 127) to loosen stubborn dirt

Technical Information

Working temp.	Up to 43°C (109°F)
Microorganisms	Naturally occurring, BSL/CL 1 (non-pathogen)
Density	1.02 g/ml (at 68°F)
Flashpoint	None
Color/Odour	Cloudy, Apple
pH	7.5 a 9
Rinsability	Complete with water
Incompatible substances	solvent, biocides, alkaline, acid and chlorinated solutions
VOC	0% w/w
Storage	5°C to 25°C (40°F to 77°F), 1 year max. for best results

Description	Size		Order No.	(M)SDS
	Metric	Imperial		
Liquid	20L	5.2 gal.	55-A 007	L-78E
Liquid	208L	55 gal.	55-A 008	L-78E
Liquid	1000L	264 gal.	55-A 009	L-78E

ACCESSORIES

Spout for 20L pail	53-L 207
Faucet for 208L drum, 2"	53-L 209
Faucet for 208L drum, ¾"	53-L 210
Transfer hand pump	55-B 051

(M)SDS available upon request or visit our web site at www.walter.com

Not for product specification. The technical data contained herein is intended as reference only and may change without notice.