

E-NOX Clean™

High Strength Stainless Steel Cleaner

Highly concentrated gel-like rust and mineral deposit remover for stainless steel. Removes the contaminants without attacking the parent material.

Features & Benefits:

- Highly concentrated gel-like rust remover for stainless steel
- Excellent adhesion to vertical surfaces for optimal contact time
- Removes flash rust
- Removes mineral deposits on pumps, tanks, heat exchangers
- Will not attack the material
- Cleaning of food processing and pharmaceutical equipment
- Renew and brightens stained, dull and weather exposed decorative finishes
- Safe on aluminum, copper and brass
- Water-based, non-flammable
- VOC free, solvent free, hydrochloric, hydrofluoric and nitric acid free
- Neutralize with FT100™ (liquid format only)
- NSF registered category A3, registration No.: 142614



Description	Size		Order No.	(M)SDS
	Metric	Imperial		
Trigger sprayer	500 ml	16.9 oz.	53-G 303	L-59E
Liquid	3.78L	1 gal.	53-G 305	L-59E
Liquid	20L	5.2 gal.	53-G 307	L-59E
Liquid	208L	55 gal.	53-G 308	L-59E

ACCESSORIES

Spout for 5L pail	53-L 206
Spout for 20L pail	53-L 207
Spout for 20L pail	53-L 208

Technical Information

Density	1.05 to 1.15 g/ml (at 68°F)
Flashpoint	N/A
Odor/color	Characteristic, yellow
pH	0 to 1
Rinsability	Excellent
VOC	0% wt

(M)SDS available upon request or visit our web site at www.walter.com

Not for product specification. The technical data contained herein is intended as reference only and may change without notice

ENOX-Clean™

High Strength Stainless Steel Cleaner

Equipment	Dilution ratio	Dilution %	Application	Material
Manual, Trigger sprayer	Pure	Pure	Removal of rust, lime scale, mineral deposits and light organic contaminants	Stainless steel, aluminum, and non-ferrous metals
Ultrasonic baths	1:40 - 1:20	2,5% - 5%	Removal of rust, lime scale, mineral deposits and light organic contaminants	Stainless steel, aluminum, and non-ferrous metals
Hot Parts washers	1:40 - 1:20	2,5% - 5%	Removal of rust, lime scale, mineral deposits and light organic contaminants	Stainless steel, aluminum, and non-ferrous metals
Dip Tank	1:10 - Pure	10% - Pure	Removal of rust, lime scale, mineral deposits and light organic contaminants	Stainless steel, aluminum, and non-ferrous metals

Dilution Chart

Dilution ratio	Dilution %	ml of cleaner/ 1L of water	fl. oz. of cleaner/ 1 gal of water
1:40	2,5%	25ml	3,2 fl. oz.
1:30	3,3%	33ml	4,3 fl. oz.
1:20	5%	50ml	6,4 fl. oz.
1:10	10%	100ml	12,8 fl. oz.
1:5	20%	200ml	25,6 fl. oz.
1:2	50%	500ml	64 fl. oz.

(M)SDS available upon request or visit our web site at www.walter.com

Not for product specification. The technical data contained herein is intended as reference only and may change without notice