

UNO S

High Strength Cleaner/Degreaser

UNO S is an aqueous based high strength degreaser which uses advanced cleaning technology to deliver outstanding performance. The excellent dissolving property of UNO S allows the product to achieve optimal results at ambient temperature. The foaming action of UNO S makes this product ideal for increased contact time and manual cleaning applications.

Features & Benefits:

- High strength concentrate, economical to use
- Can be diluted up to 1:40 to suit all cleaning needs
- Removes oil, grease, grime, carbon deposits, markers, smoke residue, organic contaminants, dust, etc.
- Achieves optimal results at ambient temperature
- For manual use (trigger sprayer)
- Built in corrosion inhibitors to prevent flash rusting
- Water-based, non-flammable
- Biodegradable, VOC free
- Solvent, phosphate and butyl-free
- **UNO S** is a foaming formulation
- Also available in a foamless formulation (**UNO S F**), a foamless formulation with extra corrosion protection for parts which are sensitive to oxidation (**UNO S PF**), and a viscous formulation for vertical applications (**UNO S V**).



Nonfood Compounds
Program Listed (A1)
(142608)

Description	Size		Order No.	MSDS
	Metric	Imperial		
Sprayer	500ml	16.9 oz.	53-G 033	L-143E
Liquid	3.78L	1 gal.	53-G 036	L-143E
Liquid	20L	5.2 gal.	53-G 037	L-143E
Liquid	208L	55 gal.	53-G 038	L-143E
Liquid	1000L	264 gal.	53-G 039	L-143

ACCESSORIES

Spout for 5L pail	53-L 113
Spout for 20L pail	53-L 207
Faucet for 208L drum, 2"	53-L 209
Faucet for 208L drum, 3/4"	53-L 210
UNO S replacement trigger sprayer 500 ml	53-L 335

Technical Information

Density	1.04 g/ml
Flashpoint	N/A
Odor/color	Mild odor, light pink
pH (at 100g/L H₂O)	<12
Rinsability	Excellent
VOC	0

MSDS available upon request or visit our web site at www.biocircle.com

UNO S

High Strength Cleaner/Degreaser

Application Chart:

Equipment	Dilution ratio	Dilution %	Application	Material
Trigger sprayers	1:40 - 1:30	2,5% - 3,3%	Removal of light organic contaminants	Aluminum, Non-Ferrous Alloys, Zinc Coatings, Plastics
Trigger sprayers	1:40 - 1:10	2,5% - 10%	Removal of light organic contaminants	Steel, Stainless Steel, Plastic
Trigger sprayers	1:10 - Pure	10% - Pure	Removal of heavy organic contaminants	Steel, Stainless Steel

Dilution Chart			
Dilution ratio	Dilution %	ml of cleaner/ 1L of water	fl. oz. of cleaner/ 1 gal of water
1:40	2,5%	25ml	3,2 fl. Oz.
1:30	3,3%	33ml	4,3 fl. Oz.
1:20	5%	50ml	6,4 fl. Oz.
1:10	10%	100ml	12,8 fl. oz.
1:5	20%	200ml	25,6 fl. oz.
1:2	50%	500ml	64 fl. oz.

MSDS available upon request or visit our web site at www.biocircle.com