

Page 1 of 2

| Surface Tech | ER hnologies | MATERIAL SAFETY DATA SHEET L-131E | | | |
|--|--|--|---|------------|---|
| Section 6 - Toxicological Data | | | | | |
| Acute exposure Chronic exposu Exposure limits <u>Carcinogenicity</u> No | i re effects: A prol s (TLV/TWA): 1 m | with eyes, skin a onged or repeate ng/cubic meter <u>icity</u> | gestion. nd mucosal tissue may cause d contact with the skin may ca <u>Reproductive toxicity</u> No | | <u>Synergistic effects</u> No |
| | | S | ection 7 - Preventive | e Measures | |
| Protective equipment: Handling procedures: Waste disposal methods: Leak/spill procedures: Storage requirements: Engineering controls: Handling equipment: Special shipping information: | | Eyewear, gloves, clothing Normal procedure when handling strong acids Eliminate while respecting municipal, state and federal regulations. Wipe up with an absorbent material. Rinse small quantities with water. Neutralize. Store under 220°F. Protect from freezing. N/A N/A Inorganic Corrosive Liquid (Sulfuric acid) N.O.S Class 8, UN 3264. PG III | | | |
| | | | Section 8 - First Aid | Measures | |
| Skin contact: Eye contact: | Continuously flush contaminated area with lukewarm, gently flowing water for at least 30 minutes. Under running water, remove clothing, shoes and contaminated leather articles. Consult a physician . Immediately rinse exposed eyes by maintaining eyelids opened and continuously flushing contaminated area with lukewarm, | | | | |
| Inhalation: Ingestion: | gently until product is eliminated. Avoid exposing the eyes or face to rinsing water. Consult a physician immediately. Remove patient to fresh air. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth thoroughly. Never give anything by mouth if victim is rapidly losing consciousness, unconconscious or convulsing | | | | |
| Other: | Change saturated clothing. Consult a physician immediately. Remove contaminated clothing and wash before reusing. In all cases, consult a physician. | | | | |
| Section 9 - Preparation of MSDS | | | | | |
| Prepared by: Telephone: Date: | : Chemical Tool Manager 860-298-1100 December 10 th , 2008 | | | | |
| industrial hygiene | and safe handling p | rocedures are belie | | | r implied is hereby made. The recommended Id review these recommendations in the |

N/A - Not Applicable

N/Av - Not Available Page 2 of 2