

CB 100™

ULTRA-STRENGTH PARTS
WASHING SOLUTION

Where Performance
Meets Safety.



CB 100™

Ultra-Strength Parts Washing Solution

CB 100™ is next-generation degreasing technology. Powered by WALTER's exclusive Nature Boost™ formula, CB 100™ is unsurpassed in its ability to remove the most stubborn industrial contaminants.

CB 100™



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 ml	16.9 oz.	53-G 163	L-155	12
Liquid	3.78 L	1 gal	53-G 165	L-155	1
Liquid	20 L	5.2 gal	53-G 167	L-155	1
Liquid	208 L	55 gal	53-G 168	L-155	1
Liquid	1000 L	264 gal	53-G 169	L-155	1

CB 100 ALU™



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 ml	16.9 oz.	53-G 123	L-158	12
Liquid	3.78 L	1 gal	53-G 125	L-158	1
Liquid	20 L	5.2 gal	53-G 127	L-158	1
Liquid	208 L	55 gal	53-G 128	L-158	1
Liquid	1000 L	264 gal	53-G 129	L-158	1



PRO TIP:

For applications where working on aluminum and other non-ferrous alloys is required, CB 100 ALU™ is recommended.

Parts Washing Start-Up Kits



INCLUDED: 6 PAILS (20 L / 5.2 GAL.)

Name	Order No.
CB 100	55-D 615CBP
CB 100 ALU	55-D 615CBAP

INCLUDED: 1 DRUM (208 L / 55 GAL.)

Name	Order No.
CB 100	55-D 615CBD
CB 100 ALU	55-D 615CBAD

FOR MORE INFORMATION, TO SCHEDULE A FREE DEMO OR TO ORDER:

United States:

Phone: (800) 522-0321 | Fax (866) 274-4435
Email: OrderDesk.US@walter.com

Canada:

Phone: (888) 592-5837 | Fax (866) 581-1121
Email: csr@walter.com

CLEAN THE TOUGHEST CONTAMINANTS WHILE ENSURING USER SAFETY

- ▶ VOC-Free & Non-flammable
- ▶ Ready-to-use
- ▶ Solvent, Phosphate & Butyl free
- ▶ Outlasts solvent cleaners by 3-5X
- ▶ Non-Corrosive & Biodegradable
- ▶ Works at room temperature but ideal when used in a heated parts washing machine
- ▶ Separates grease for easy skimming

Available at:



Walter Surface Technologies Inc. © 2020 All Rights Reserved. Walter Surface Technologies and Bio-Circle logos are trademarks or registered trademarks of Walter Surface Technologies Inc. Other company, product or service names may be trademarks or service marks of Walter Surface Technologies or others. 98-H 025 (12-21)