

SURFOX MINI™ Weld Cleaning System

The SURFOX™ electrochemical weld cleaning system is a highly effective method of removing heat tint in the heat affected zone of TIG, MIG (aluminum only), and spot welded stainless steel and aluminum, without altering the surface of the parent material. It also promotes the formation of a uniform and durable chromium oxide passive layer to protect stainless steel against further corrosion. Surfox is a safer, faster and more cost effective alternative to very hazardous pickling pastes and abrasive weld cleaning processes like wire brushing and grinding.



The ideal unit for field or repair work

The ergonomically designed SURFOX MINI™ comes equipped with a variable current setting that ensures a perfect finish on even the most delicate surfaces. This unit utilizes refillable electrolyte cartridges instead of an integrated tank to reduce the weight and increase portability. Excellent for use on repairs, touch-ups and small jobs. This newly redesigned unit can clean TIG or spot welds on stainless steel and MIG, TIG, or spot welds on aluminum. It can also mark stainless steel, aluminum and titanium surfaces with the use of a SURFOX marking kit.

Features & benefits:

- Compatible with all SURFOX electrolyte cleaning solutions
- Uses nitric and hydrofluoric acid free SURFOX electrolyte solutions
- Cleaning of a typical TIG at a speed of 5 ft/minute with no scrubbing or mechanical action required
- Instant cleaning of heat tint on welds
- Equipped with a unique cartridge refilling pump, allowing user to easily refill cartridges and save money by buying SURFOX electrolyte solutions in bulk packaging
- Switchable output: AC mode (cleaning & marking) and DC mode (polishing & etching)
- Variable current output knob, allowing the end user to pre-set the desired power level
- Marking on aluminum, stainless steel, and titanium surfaces
- The use of SURFOX systems is a recognized method for achieving chemical passivation on Stainless Steel Parts, as defined by the ASTM A967 specification

Description	Electrical		Dimensions			Tank	Length	Weight	Order No.
Description	Input	Output	Length	Width	Height	Capacity	of hose	weight	Order No.
SURFOX MINI	120 V, 50/60 Hz, 4.0 A	12-30 V AC/DC, 15 A max	12"	4.5"	8.86"	-	-	8.4 lbs	54-D 055

*Standard equipment includes: 1 x micro-wand, 1 x micro-wand holder (48-R 286), 1 x micro-wand holder extension sleeve (48-R 460), 1 x narrow tungsten insert (54-B 038), 1 x narrow cleaning pad (54-B 028), 1 x Teflon ring (54-B 020), 1 x carbon fiber micro brush (54-B 117), 1 x adaptor for micro-brush (54-B 100), 1 x manual refilling pump (54-B 092), 1 x ground cable (48-R 283), 1 x user guide, 1 x DVD, 1 x carrying case



SURFOX MINI™ – Weld Cleaning System

ACCESSORIES

Large graphite insert

Electrolyte solutions	
SURFOX-T Heavy-Duty solution, 100ml	54-A 001
SURFOX-T Heavy-Duty solution, 1.5L	54-A 005
SURFOX-T Heavy-Duty solution, 5L	54-A 006
SURFOX-T Heavy-Duty solution, 20L	54-A 007
SURFOX-T Heavy-Duty solution, 208L	54-A 008
SURFOX-G Neutral pH solution, 100ml	54-A 061
SURFOX-G Neutral pH solution, 1.5L	54-A 065
SURFOX-G Neutral pH solution, 5L	54-A 066
SURFOX-G Neutral pH solution, 20L	54-A 067
SURFOX-G Neutral pH solution, 208L	54-A 068
SURFOX-N Cleaning & Neutralizing solution, 500ml	54-A 023
SURFOX-N Cleaning & Neutralizing solution, 5L	54-A 026
SURFOX-N Cleaning & Neutralizing solution, 20L	54-A 027
SURFOX-N Cleaning & Neutralizing solution, 208L	54-A 028
Cleaning pads and brushes	
Inside corners cleaning pad	54-B 027 (pack of 10)
Narrow high conductivity cleaning pads	54-B 028 (pack of 10)
Large pad for graphite insert	54-B 051 (pack of 10)
Clamp ring for cleaning pad	54-B 002 (pack of 10)
Narrow clamp ring for narrow pads	54-B 020
Micro-wand and tungsten insert kit	54-B 033
Brushes	
Micro-wand and brush kit	54-B 133
Carbon fiber micro-brush	54-B 117
Spare brush adaptor for micro-wand	54-B 100
Cleaning boots	
High conductivity cleaning boot for inside corner 90°	54-B 055 (pack of 10)
High conductivity narrow Cleaning boot 90°	54-B 057 (pack of 10)
Tungsten and graphite inserts	
Narrow tungsten insert	54-B 038
Tungsten insert 90°	54-B 036

SDS available upon request or on our website at www.walter.com | www.surfox.com

54-B 048



SURFOX MINI™ - Weld Cleaning System

Refiller Cartridge refiller replacement	54-B 092
Testers Stainless Steel Grade ID tester Passivation tester Surfox Smart Passivation tester	54-T 001 54-T 010 54-T 011
Marking kits Standard kit PRO kit with stencil printer	54-B 080 54-B 081
Station SURFOX station Power Cloth	54-B 050
Surfox Power Cloth	54-B 090
Surfox Cleaners SURFOX Pre-Weld, 500 ml	54-A 073
SURFOX Pre-Weld, 5 L SURFOX Pre-Weld, 20 L	54-A 076 54-A 077
SURFOX Pre-Weld, 208 L SURFOX Shine, 500 ml	54-A 078 54-A 093
SURFOX Shine, 3.78 L SURFOX Shine, 20 L	54-A 095 54-A 097
SURFOX Shine, 208 L SURFOX Renew, 500 ml	54-A 098 54-A 083
SURFOX Renew, 3.78 L SURFOX Renew, 20 L SURFOX Renew, 208 L	54-A 085 54-A 087 54-A 088

SDS available upon request or on our website at www.walter.com | www.surfox.com