

Page 1 of 2

Surface Tec		MATERIAL SAFETY DATA SHEET L-125E			
Section 6 - Toxicological Data					
Chronic exposu	e effects: Dizzines	-			
Carcinogenicity Mutageni		nicity	Reproductive toxicity	<b>Teratogenicity</b>	Synergistic effects
No No			No	No	N/Av
If yes to any of	the above, specif	fy:			
		S	ection 7 - Preventive	e Measures	
Protective equipment:		Wear chemical resistant gloves. If used indoors on a continuous basis, use of a cartridge type respirator (NOISH/MSHATC 23C or equivalent) is recommended. Safety glasses.			
Handling procedures:		Store in a cool, well ventilated area not to exceed 50°C			
Waste disposal methods:		Do not punture or incinerate, even if content empty. Dispose in accordance with municipal, provincial and federal regulations.			
Leak/spill procedures:		Remove all sources of ignition. Use an inert absorbent material, and non-sparking tools. Ventilate area. prevent from entering a watercourse.			
Storage requirements:		Keep away from heat, sparks, and open flames.			
Engineering controls:		Ventilation - local (mechanical if used indoors on a continuous basis).			
Handling equipment:		Store in a cool, well ventilated area not to exceed 50°C			
Special shippin	g information:	Aerosol, Class 2	2.1, UN1950		
			Section 8 - First Aid	Measures	
Skin contact:	Wash thoroughly with soap and water.				
Eye contact:	In case of eye contact, flush immediately with plenty of water for at least 15 minutes and get medical attention.				
Inhalation:	If affected by inhalation of vapour or spray mist, remove to fresh air.				
Ingestion:	If swallowed, d	lo not induce vomit	ing, get medical attention.		
Other:	N/A				
		S	ection 9 - Preparatio	on of MSDS	
Prepared by:	International P	roject Manager Er	wironmental & MRO solutions		
Telephone:	International Project Manager, Environmental & MRO solutions 1-888-592-5837				
Date:	April 6, 2010				
industrial hygiene	and safe handling p		ved to bee generally applicable.		implied is hereby made. The recommended Id review these recommendations in the specif
N/A - Not Applic	cable				N/Av - Not Availab
					Daga 2 of

Page 2 of 2