


# MATERIAL SAFETY DATA SHEET

## L-135E



### Section 1 - Product Identification

|   |   |  |
|---|---|--|
| J. WALTER COMPANY LTD.<br>5977 Transcanada Highway<br>Pointe-Claire, Quebec<br>H9R 1C1<br>Emergency: CANUTEC (613) 996-6666 | <b>Trade name:</b> INOX PRO Paste<br><b>Product name:</b> Non-Toxic Passivator for Stainless Steel AISI 300<br><b>Order no.:</b> 53-H 304, 53-H 307<br><b>WHMIS Classification:</b> E<br><b>Controlled under WHMIS:</b> Yes |  |
|---|---|--|

### Section 2 - Hazardous Ingredients

| Ingredients       | CAS Number | % by Weight | LD <sub>50</sub> (Oral Rat) | LC <sub>50</sub> RAT |
|-------------------|------------|-------------|-----------------------------|----------------------|
| Hydrogen Peroxide | 7722-84-1  | 3-7%        | 1232 mg/kg                  | N/Av                 |
| Phosphoric acid   | 7664-38-2  | 5-10%       | 1530 mg/kg                  | N/Av                 |

### Section 3 - Physical / Chemical Characteristics

|  |  |  |
|--|--|--|
| <b>Physical state:</b> Liquid<br><b>pH:</b> < 1<br><b>Specific gravity:</b> 1,07 @ 20°C<br><b>Evaporation rate:</b> N/Av | <b>Odour &amp; appearance:</b> Typical odour<br><b>Boiling point:</b> 150°C<br><b>Vapour pressure:</b> N/Av<br><b>VOC g/l:</b> 0 | <b>Odour threshold:</b> N/Av<br><b>Freezing point:</b> N/Av<br><b>Vapour density:</b> N/Av<br><b>Water solubility:</b> Soluble |
|--|--|--|

### Section 4 - Fire & Explosion Hazard

**Flammability:** No      **Conditions:** None  
**Flashpoint:** N/A      **Extinguishing media:** N/A  
**Auto ignition temperature:** N/A      **Hazardous combustion products:** See hazardous decomposition products  
**Flammable limits (%):** Upper: N/A Lower: N/A      **Sensitivity to mechanical impact or static discharge:** N/A

### Section 5 - Reactivity Data

**Chemical stability:** Yes      **Conditions:** None  
**Reactivity conditions:** Stable at ambient temperature and pressure  
**Incompatible substances:** Strong alkalines  
**Hazardous decomposition products:** Release of phosphorus oxides from thermal decomposition and hydrogen when in contact with metals



# MATERIAL SAFETY DATA SHEET

## L-135E

### Section 6 - Toxicological Data

**Route of entry:** Eye and skin contact, inhalation, ingestion.

**Acute exposure effects:** Contact with eyes, skin and mucosal tissue may cause irritation or burns.

**Chronic exposure effects:** A prolonged or repeated contact with the skin may cause irritation or burn.

**Exposure limits (TLV/TWA):** 1 mg/cubic meter (phosphoric acid)

**Exposure limits (TLV/STEL):** 3 mg/cubic meter (phosphoric acid)

| <u>Carcinogenicity</u> | <u>Mutagenicity</u> | <u>Reproductive toxicity</u> | <u>Teratogenicity</u> | <u>Synergistic effects</u> |
|------------------------|---------------------|------------------------------|-----------------------|----------------------------|
| No                     | No                  | No                           | No                    | No                         |

If yes to any of the above, specify:

### Section 7 - Preventive Measures

|                                      |  |
|--------------------------------------|--|
| <b>Protective equipment:</b>         | Eyewear, gloves, clothing  |
| <b>Handling procedures:</b>          | Normal procedure when handling strong acids  |
| <b>Waste disposal methods:</b>       | Eliminate while respecting municipal, provincial and federal regulations.              |
| <b>Leak/spill procedures:</b>        | Wipe up with an absorbent material. Rinse small quantities with water. Neutralize.     |
| <b>Storage requirements:</b>         | Store under 50°C. Protect from freezing.   |
| <b>Engineering controls:</b>         | N/A  |
| <b>Handling equipment:</b>           | N/A  |
| <b>Special shipping information:</b> | Corrosive Liquid, acidic inorganic (Phosphoric acid) N.O.S. Class 8, UN 3264, P.G. III |

### Section 8 - First Aid Measures

|                      |   |
|----------------------|---|
| <b>Skin contact:</b> | Continuously flush contaminated area with lukewarm, gently flowing water for at least 30 minutes. Under running water, remove clothing, shoes and contaminated leather articles. Consult a physician .  |
| <b>Eye contact:</b>  | Immediately rinse exposed eyes by maintaining eyelids opened and continuously flushing contaminated area with lukewarm, gently flowing water. Product is eliminated. Avoid exposing the eyes or face to rinsing water. Consult a physician immediately. |
| <b>Inhalation:</b>   | Remove patient to fresh air.  |
| <b>Ingestion:</b>    | Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth thoroughly. Never give anything by mouth if victim is rapidly losing consciousness, unconscious or convulsing.                 |
| <b>Other:</b>        | Change saturated clothing. Consult a physician immediately. Remove contaminated clothing and wash before reusing. In all cases, consult a physician.  |

### Section 9 - Preparation of MSDS

**Prepared by:** International Product Manager - Chemical Tools  
**Telephone:** 1-888-592-5837  
**Date:** December 10<sup>th</sup>, 2008

*This data is offered in good faith as typical values and not as a product specification. No warranty, either express or implied is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.*

N/A - Not Applicable

N/Av - Not Available

Page 2 of 2