



### **LIQUIDS AVAILABLE SIZES**

Our liquid cleaning and degreasing solutions come in a wide range of sizes and formats to suit your needs. From small, no-drip, continuous spray mist bottles to bulk barrels or totes, Walter's got you covered.




### THE CLEANING MATRIX

Increase any of these four elements and increase the performance of your product!

key elements to cleaning efficiency

- Contact time
- Mechanical action
- Temperature
- Strength/concentration



## WHAT ARE YOU CLEANING?




#### **OIL AND GREASE**



PRO CLEA







**AUTOMATIC CLEANING** 

#### WALTER ENVIRONMENTAL PRODUCTS - LEGEND



#### Accepted for use in food plants

Products with this logo presented are accepted for use in food plants within Canadian borders.



#### **Volatile Organic Compounds Free**

Consumers today are far more knowledgeable regarding products containing potentially toxic levels of volatile organic compounds, commonly known as VOCs. Paints, stains, and varnishes have long contributed considerably to the prollific release of VOCs, sometimes known as off-gassing. This explains the growing popularity of low-VOC and VOC-free products. Products where you see the VOC-free logo guarantee that they contain no volatile organic compounds.




#### **Nonfood Compounds Program**

The global food industry relies upon nonfood compounds to facilitate the efficient processing, handling and storage of food throughout the supply chain. Nonfood compounds include such substances as cleaners, sanitizers, boiler compounds and lubricants. NSF International Nonfood Compounds Registration Program provides beneficial product information to three important stakeholder groups.



#### Low Energy Surfactant (LES) technology

These unique surfactants can clean and degrease effectively at lower temperatures, thus generating substantial energy savings. Lower the temperature of your automated industrial parts washers today! NOTE: Dilution up to 1:200



## WALTER ICONS LEGEND Materials

**POWER** 

**CLEANER 100** 



REASE,

D-ON

TIC &

INANTS









**BIO-RUST** 







**OMNI** 





Plastic Rubber

Concrete Galvanized Steel Glass and Mirror

5

**SLAP SHOT** 

## **MULTI-USAGE CLEANERS**

UNO™ family of cleaning and degreasing products are ideal for various applications conducted at room temperature. Save time and money with UNO™ and its Low Energy Surfactant (LES) technology which allows the product to achieve optimal results at ambient temperature.

#### **CONCENTRATED**

## **UNO™S**

#### CLEANER AND DEGREASER

Nonflammable, phosphate-free

Metric 500 ml

3.78 L

20 L

208 L

1000 L

Foaming action for increased contact time

Size

**US Gal** 

1 gal

5.2 gal

55 gal

264 gal

16.9 oz.

► Dilutable up to 1:40

## **UNO™SF**

#### FOAMLESS CLEANER AND **DEGREASER**

- Nonflammable
- ► Low Energy Surfactant Technology cleans at lower temperatures
- Dilutable up to 1:40



Sprayer

Liquid

Liquid

Liquid

Liquid



1 - 143

1 - 143

53-G 033 L-143

53-G 038 L-143

53-G 039 L-143

Order

53-G 035

53-G 037



Pkg.

12











Description		Size	Order	SDS	Std.
	Metric	US Gal	No.		Pkg.
Sprayer	500 ml	16.9 oz.	53-G 023	L-48	12
Liquid	3.78 L	1 gal	53-G 015	L-48	1
Liquid	20 L	5.2 gal	53-G 017	L-48	1
Liquid	208 L	55 gal	53-G 018	L-48	1
Liquid	1000 L	264 gal	53-G 019	L-48	1



Versatile and safe!





### **READY TO USE**

## **GOLD MATRIX READY™**

### **ALL-PURPOSE CLEANER AND DEGREASER**

- Non-hazardous, nonflammable, phosphate free
- Non-foaming
- Built-in corrosion inhibitors to prevent flash rusting












te.	Inox

Description		Size	Order	SDS	Std.
	Metric	US Gal	No.		Pkg.
Sprayer	500 ml	16.9 oz.	53-G 073	L-68	12
Liquid	3.78 L	1 gal	53-G 075	L-68	1
Liquid	20 L	5.2 gal	53-G 077	L-68	1
Liquid	208 L	55 gal	53-G 078	L-68	1
Liquid	1000 L	264 gal	53-G 079	L-68	1





High strength formula, **Ready to use!** 

#### Tech Tip!

For maximum cleaning efficiency, heat up to 90 °C (194 °F)

# BIO-REMEDIATING SOLUTIONS

Designed for use in parts washers with heating elements, these self-regenerating solutions contain micro-organisms that break down oils and greases into  $CO_2$  and  $H_2O$ , with almost ZERO waste products to dispose of.

#### REGULAR

#### **EXTRA POWERFUL**

## BIO-CIRCLE™L

## PARTS CLEANER AND DEGREASER

- Continuously self-renewing with minimal waste streams
- Non-hazardous, nonflammable
- Safe on skin

## NSF VOC





## **BIO-CIRCLE™ULTRA**

## EXTRA POWERFUL PARTS CLEANER AND DEGREASER

- Continuously self-renewing with minimal waste streams
- Non-hazardous, nonflammable
- ▶ Powered by Nature Boost™



All Metals



Description		Size	Order SDS		Std.	
	Metric	US Gal	No.		Pkg.	
Liquid	20 L	5.2 gal	55-A 107	L-158	1	
Liquid	208 L	55 gal	55-A 108	L-158	1	
Liquid	1000 L	264 gal	55-A 109	L-158	1	



Versatile and safe!



Less chemical required per cleaning



### **AIRCRAFT USE**

## **BIO-CIRCLE™AERO**

### PARTS CLEANER AND DEGREASER FOR AIRCRAFT USE

- Continuously self-renewing with minimal waste streams
- Non-hazardous, nonflammable
- **▶ Powered by Nature Boost**™
- Conforms to: Boeing D6-17487 Revision R Douglas Aircraft Company CSD No.1 (Type I) AMS 1526C






Description		Size	Order	SDS	Std.
	Metric	US Gal	No.		Pkg.
Liquid	20 L	5.2 gal	55-A 207	L-161	1
Liquid	208 L	55 gal	55-A 208	L-161	1
Liquid	1000 L	264 gal	55-A 209	L-161	1



**Eliminates** material compatibility issues



## PARTS-**WASHING** SOLUTIONS



Heavy-duty cleaning for removing ink, adhesive, synthetic oils, heavy grease and other tough contaminants. These solutions work exceptionally well at room temperature and only require periodical oil skimming.

#### **REGULAR**

## **CB** 100<sup>™</sup>

#### NATURAL INDUSTRIAL-STRENGTH **CLEANER AND DEGREASER**

- ► Ready-to-use, non-caustic, non-hazardous, phosphatefree, and butyl-free
- ► Cuts through contaminants most solvents can't touch
- **Great cleaning power at room temperature**





Description		Size	Order		
	Metric	US Gal	No.		Pkg.
Sprayer	500 ml	16.9 oz.	53-G 163	L-155	12
Liquid	3.78 L	1 gal	53-G 165	L-155	1
Liquid	20 L	5.2 gal	53-G 167	L-155	1
Liquid	208 L	55 gal	53-G 168	L-155	1
Liquid	1000 L	264 gal	53-G 169	L-155	1

#### **ALUMINUM COMPATIBILITY**

## **CB 100 ALU™**

### NATURAL INDUSTRIAL-STRENGTH CLEANER AND DEGREASER FOR **NON-FERROUS ALLOYS**

- ► Ready-to-use, non-caustic, non-hazardous, phosphate-free, and butyl-free
- Great cleaning power at room temperature
- Formulated with special corrosion protection









Description		Size	Order	SDS	Std. Pkg. 12 1
	Metric	US Gal	No.		Pkg.
Sprayer	500 ml	16.9 oz.	53-G 123	L-158	12
Liquid	3.78 L	1 gal	53-G 125	L-158	1
Liquid	20 L	5.2 gal	53-G 127	L-158	1
Liquid	208 L	55 gal	53-G 128	L-158	1
Liquid	1000 L	264 gal	53-G 129	L-158	1



Outlasts solvent cleaners by 3-5x



**Shortens** cleaning

## LIGHT CLEANING SOLUTIONS



#### **SURFACE CLEANER**

## **FT** 100<sup>™</sup>

#### STAINLESS STEEL AND GLASS SURFACE CLEANER

- One product for multiple processes and surfaces
- Fast acting, fast drying
- VOC compliant (per CARB 310)

208 L

#### **SURFACE PREPARATION**

## FT 200<sup>™</sup>

## SURFACE PREPARATION CLEANER

- ► Low VOC (7% content)
- Residue-free after wiping

NSF			Plas	tic Glass and	Mirror All Metals
Description	Description Size		Order	SDS	Std.
	Metric	US Gal	No.		Pkg.
Aerosol	400 ml	13.5 oz.	53-G 182	L-172	12
Sprayer	500 ml	1 gal	53-G 183	L-167	12
Liquid	20 L	5.2 gal	53-G 187	L-167	1

55 gal

NSF WAR			Plastic Glas	s and Mirror	Alu All Metals
Description	Size		Order	SDS	Std.
	Metric	US Gal	No.		Pkg.
Sprayer	500 ml	16.9 oz.	53-G 173	L-128	12
Liquid	20 L	5.2 gal	53-G 177	L-128	1
Liquid	208 L	55 gal	53-G 178	L-128	1



Liquid

Leaves **no residue**, streaks or strains

53-G 188 L-167 1



*Improves* adhesion quality in coating applications!

# **AUTOMATIC**CLEANING


An excellent substitute to solvent-based cleaners! Save on energy and costs with Low Energy Surfactant (LES) Technology! These unique surfactants can clean and degrease effectively at lower temperatures, thus generating substantial energy savings. Lower the temperature of your automated industrial parts washers today!

#### **REGULAR**

## **STAR 200**™

### CONCENTRATED ALKALINE CLEANER/DEGREASER FOR PARTS WASHING

- ► Highly concentrated dilutable up to 1:200
- Lower energy cost, saves \$
- Short term built-in corrosion inhibitors




#### **ALUMINUM COMPATIBILITY**

## ALUSTAR 200™

### AUTOMATED PARTS WASHER CLEANER AND DEGREASER FOR NON-FERROUS ALLOYS

- ► Highly concentrated dilutable up to 1:200
- Phosphate-free
- Biodegradable





Less chemical required per cleaning



Lower energy cost



### **HEAVY-DUTY**

## **ALUSTAR 300™**

HEAVY-DUTY AUTOMATED
PARTS WASHER CLEANER AND
DEGREASER FOR NON-FERROUS
ALLOYS

- ► Highly concentrated dilutable up to 1:200
- ► Short term protection





	Size Order		SDS	Std.
Metric	US Gal	No.		Pkg.
20 L	5.2 gal	53-G 757	L-106	1
208 L	55 gal	53-G 758	L-106	1
1000 L	264 gal	53-G 759	L-106	1
	Metric 20 L 208 L	Metric         US Gal           20 L         5.2 gal           208 L         55 gal	Metric         US Gal         No.           20 L         5.2 gal         53-G 757           208 L         55 gal         53-G 758	Metric         US Gal         No.           20 L         5.2 gal         53-G 757         L-106           208 L         55 gal         53-G 758         L-106



Lasts longer!

## HIGH STRENGTH CITRUS SOLUTIONS



For removing ink, adhesive, synthetic oils, heavy grease and other tough contaminants.

#### FOR DIFFICULT CONTAMINANTS

## SC 400<sup>™</sup>

## HIGH STRENGTH CITRUS CLEANER/DEGREASER

- Formulated with 100% natural and renewable ingredients
- ► Low residue, slow drying
- ► High flash point 45 °C (113 °F)



Description		Size	Order SDS		Std.
	Metric	US Gal	No.		Pkg.
Sprayer	500 ml	16.9 oz.	53-G 513	L-68	12
Liquid	3.78 L	1 gal	53-G 516	L-68	1
Liquid	20 L	5.2 gal	53-G 517	L-68	1
Liquid	200 L	52.8 gal	53-G 518	L-68	1

ACCESSORIES	Order No.
Industrial pump sprayer	53-L 120
Spout for 20 L round metal pail and 200 L metal drum ¾" NPT	53-L 208
Empty refillable trigger sprayer for SC 400	53-L 313
Bio-Circle Air Drying Gun	55-B 085

#### FOR ADHESIVES

## SC 400 FOAM™

#### HIGH STRENGTH ADHESIVE AND INK REMOVER

- ► Special additives to enable long-lasting depth effect
- Colourless

NSF category K3, registration #156603



Description	Size		Order	SDS	Std.
	Metric	US Gal	No.		Pkg.
Aerosol	400 ml	11.5 oz.	53-G 512	L-171	12



Cuts through contaminants quickly and effectively



Suitable for metal, wood, ceramics and glass

## STAINLESS STEEL SOLUTIONS



#### **CLEANER**

## E-NOX CLEAN™

#### HIGH STRENGTH STAINLESS STEEL CLEANER

- Nonflammable
- Free of nitric and hydrochloric acid
- Gel sticks to vertical surfaces

NSF VOC Inox Brass Alu								
	Description		Size	Order	SDS	Std.		
		Metric	US Gal	No.		Pkg.		
	Gel, sprayer	500 ml	16.9 oz.	53-G 303	L-59	12		
	Liquid	3.78 L	1 gal	53-G 305	L-59	1		
	Liquid	20 L	5.2 gal	53-G 307	L-59	1		
	Liquid	208 I	55 gal	53-G 308	1-59	1		

## Fast acting and improves efficiency


# **Tech Tip!**Don't forget to neutralize with FT 100 or UNO!

#### **CLEANER & PROTECTOR**

## E-NOX SHINE™

## STAINLESS STEEL CLEANER AND PROTECTOR

- ► Nonflammable, silicone-free, phosphate-free
- Uniform finish, no streaking
- Ready to use





Gives finished work a polished, flawless look!

## RUST-REMOVAL SOLUTIONS



#### **LIGHT OXIDATION**

### POWER CLEANER 100™

## RUST AND MINERAL REMOVER + BRIGHTENER

- Does not contains nitric, hydrofluoric or hydrochloric acid
- ► Fully restores dull or tarnished metal surfaces

Size

**US Gal** 

1 gal

5.2 gal

16.9 fl.oz.

Can be diluted up to 1:40 with water

Metric

500 ml

3.78 L

20 L

## NSF Description

Trigger sprayer

Liquid

Liquid



L-23

Order

53-G 253

53-G 255

53-G 257

No.





Steel	Brass	Alu
SDS	Std. Pkg	
L-23	12	
1-22	1	

ACCESSORIES	Order No.
Spout for 20 L square plastic pail	53-L 207
Empty refillable trigger sprayer for POWER CLEANER 100	53-L 309



Rusted parts or equipment can now be salvaged!

#### **HEAVY RUST**

## BIO-RUST™

#### NON-CAUSTIC RUST REMOVER

- ► Removes rust without attacking surface material
- ► Nonflammable, phosphate-free
- ► Non-hazardous—OSHA and WHMIS compliant







ACCESSORIES	Order No.
Chrome plated drum pump	53-L 116
Spout for 20 L square plastic pail	53-L 207
Spout for 208 L plastic drum 2" NPT	53-L 209



Use with CleanBox® Dip for pre-soaking

Order no.: 55-D 010 Order no. for dolly: 55-B 083



## HEAVY DUTY CLEANING



#### **CONCENTRATED**

## PRO CLEAN™

## HIGH STRENGTH NATURAL SOLVENT

- ► Formulated with natural and bio-renewable ingredients
- Test before use on rubber
- ► Fast acting, very effective









Description		Size	Order	SDS	Std.
	Metric	US Gal	No.		Pkg.
Sprayer	500 ml	16.9 oz.	53-G 523	L-169	12
Liquid	3.78 L	1 gal	53-G 525	L-169	1
Liquid	20 L	5.2 gal	53-G 527	L-169	1
Liquid	208 L	55 gal	53-G 528	L-169	1



**Safer to handle** than toxic and volatile solvents!

#### **ALL-WEATHER**

## **ALL-SEASON™**

## **POWERFUL ALL-WEATHER CLEANER**

- Formulated to clean at any temperature, from -50°C (-58°F) to over 100°C (212°F)
- Separates from water for easier recovery of waste







Description		Size		SDS	Std.
	Metric	US Gal	No.		Pkg.
Sprayer	500 ml	16.9 oz.	53-G 553	L-75	12
Liquid	3.78 L	1 gal	53-G 555	L-75	1
Liquid	20 L	5.2 gal	53-G 557	L-75	1
Liquid	208 L	55 gal	53-G 558	L-75	1
Liquid	1000 L	264 gal	53-G 559	L-75	1

ACCESSORIES	Order No.
Industrial pump sprayer	53-L 120
Spout for 20L pail	53-L 207
Spout for 208L drum	53-L 209
CleanBox® Dip Bio-Circle®	53-L 010



High strength, fast acting

## CLEANING, LUBRICATING AND TEMPORARY PROTECTION

### **OMNI™**

#### CLEANER/LUBRICANT/PROTECTOR (CLP)

- Nonflammable, silicone-free, Teflon-free
- ► Dielectric strength 350 V/mil

NSF category A8, registration #142610







Description	Size		Order	SDS	Std.
	Metric	US Gal	No.		Pkg.
Aerosol	480 ml	16.2 fl.oz.	53-X 002	L-73	12
Sprayer	500 ml	16.9 oz.	53-X 003	L-74	12
Liquid	3.78 L	1 gal	53-X 005	L-74	1
Liquid	20 L	5.2 gal	53-X 007	L-74	1
Liquid	208 L	55 gal	53-X 008	L-74	1
Liquid	1000 L	264.6 gal	53-X 009	L-74	1

ACCESSORIES	Order No.
Industrial pump sprayer	53-L 120
Spout for 20 L square plastic pail	53-L 207
Spout for 208L plastic drum 2" NPT	53-L 209
Empty refillable trigger sprayer for OMNI	53-L 314
Bio-Circle® Powercloth microfiber / Pack of 10	57-M 001



Cleans, penetrates, lubricates and protects in one easy step!





## AIR FORCE OMNI™

### CLEANER/ LUBRICANT/ PROTECTOR IN A REFILLABLE AEROSOL CAN

- Nonflammable, silicone-free, Teflon-free
- ► High flash point 125 °C (275 °F)

20 L / 5.3 gal. Start-up package: **Order no.:** 53-M 012AF0BB

200 L / 52.8 gal. Start-up package:

Order no.: 53-M 012AF0D

## AIR FORCE AF-PL™

### PLASTIC-SAFE, FAST-EVAPORATING PARTS DEGREASER

- Cost-effective brake cleaner alternative
- Safe for most plastics and rubber compounds
- Non-chlorinated solvents penetrate and displace moisture

20 L / 5.3 gal. Start-up package:

Order no.: 53-M 012AFPLP

200 L / 52.8 gal. Start-up package:

Order no.: 53-M 012AFPLD

## AIR FORCE CB 100™

### ALL NATURAL CLEANER AND DEGREASER

- Ready-to-use, non-caustic, non-hazardous, phosphate-free, and butyl-free
- Cuts through contaminants most solvents can't touch
- Great cleaning power at room temperature
- **▶ VOC-free**

208 L / 55 gal. Start-up package: **Order no.:** 57-D 058













## **BRAKE CLEANER** SOLUTIONS



#### **GENERAL**

## SLAP SHOT™

### **CLEANING AND DEGREASING** FOR MAINTENANCE AND REPAIR

- Versatile
- Free of chlorinated solvent
- Strong aerosol jet

NSF category K1, registration #154299 (Aerosol) #154300 (Liquid)











Description	Size		Order	SDS	Std.
	Metric	US Gal	No.		Pkg.
Aerosol	500 ml	16.9 oz.	53-C 502	L-39	12
Trigger sprayer	500 ml	16.9 oz.	53-C 503	L-40	12
Liquid	5 L	1.3 gal	53-C 506	L-40	1
Liquid	20 L	5.2 gal	53-C 507	L-40	1
Liquid	200 L	52.8 gal	53-C 508	L-40	1

ACCESSORIES	Order No.
Spout for 20 L round metal pail and 200 L metal drum 3/4" NPT	53-L 208
Empty refillable trigger sprayer	53-L 311



Fast acting, no residues, no rinsing!

#### **PLASTIC SAFE**

## SLAP SHOT PL™

#### PLASTIC SAFE FAST **EVAPORATING DEGREASER**

- Multipurpose
- Free of chlorinated solvent
- Strong aerosol jet





Description	cription Size		Order	SDS	Std.	
	Metric	US Gal	No.		Pkg.	
Aerosol	400 ml	13.5 oz.	53-C 552	L-64	12	



Safe on most plastics and rubbers

## ELECTRONIC CONTACT CLEANING



Instrument and equipment junction cleaning (PLCs, printed circuit boards, vehicle fuse boxes).

## **CONTACT CLEAN™**

NON-FLAMMABLE ELECTRONICS AND ELECTRICAL EQUIPMENT CLEANER

- Nonconductive
- ► VOC compliant (per CARB 310)

NSF category K2, registration #154540.

NSF					Rubber Plastic
Description		Size	Order	SDS	Std.
	Metric	US Gal	No.		Pkg.
Aerosol	340 g	12 oz.	53-C 712	L-165	12



Dissolves stubborn contaminants quickly and completely!

## **ACCESSORIES**





CleanBox® Dip


**Order No.** 55-D 010 **Order No.** for dolly: 55-B 083

CleanBox is ideal for soaking small to medium sized parts. Its durable construction and compact size make it perfect for when space is limited.

## Bio-Circle<sup>®</sup> POWERCLOTH™



Non-abrasive, won't scratch mirror finish, paint or clear coat



## REFILLABLE TRIGGER SPRAYERS

Practical and sturdy, all bottles are clearly identified with product specific labels showing product features, hazard information and directions for use.

High-quality, resistant trigger for longest life.

Transparent bottle allows you to see product level.

Can be refilled hundreds of times.



Description	Size		Order	Std.
	Metric	US Gal	No.	Pkg.
UNO S F dilution	950 ml	32.1 oz	53-L 158	1
UNO S F	500 ml	16.9 oz	53-L 315	1
POWER CLEANER 100	500 ml	16.9 oz	53-L 309	1
SC 400	500 ml	16.9 oz	53-L 313	1
OMNI	500 ml	16.9 oz	53-L 314	1
UNO S	500 ml	16.9 oz	53-L 335	1
E-NOX SHINE	500 ml	16.9 oz	53-L 316	1
FT 100	500 ml	16.9 oz	53-L 323	1
FT 200	500 ml	16.9 oz	53-L 322	1
E-NOX CLEAN	500 ml	16.9 oz	53-L 337	1
PRO CLEAN	500 ml	16.9 oz	53-L 341	1
SLAP SHOT	500 ml	16.9 oz	53-L 311	1
HANG-ON	500 ml	16.9 oz	53-L 331	1
CB 100	500 ml	16.9 oz	53-L 342	1
CB 100 ALU	500 ml	16.9 oz	53-L 343	1
Gold Matrix	500 ml	16.9 oz	53-L 318	1

## **CLEANER**SELECTOR APP

# Choose the right cleaner every time!

By answering three simple questions, the Bio-Circle Cleaner Selector app leads you to the perfect cleaner/degreaser that will get the job done quickly and easily.

- 1. Choose the contaminant you want to clean
- 2. Choose the surface material
- 3. Choose your cleaning method

This app will recommend the ideal cleaner/degreaser for your requirements and provide you with valuable information, features and benefits, applications, tips as well as access to SDS/TDS, videos and free samples!







#### **CANADA UNITED STATES Edmonton** Montreal Connecticut **Texas** 5977 Trans Canada Highway 18527 - 104 Avenue NW 810 Day Hill Road 710 Gateway Blvd. Pointe-Claire, Quebec Edmonton, Alberta Windsor, CT Coppell, TX H9R 1C1 T5S 2V8 06095 75019 Tel.: 514 630-2800 Tel.: 780 451-2053 Tel.: 1 860 298-1100 Toll free: 1 800 363-7368 Toll free: 1 866 435-1271 Email: info.us@walter.com **Toronto Vancouver** 151 Superior Blvd., Unit 12 1-1595 Cliveden Ave. West, Mississauga, Ontario Delta, British Columbia L5T 2L1 V3M 6M2 Tel.: 905 795-8555 Tel.: 604 540-4777 Toll free: 1 888 821-9444 Toll free: 1 877 366-9258 FOR MORE INFORMATION, TO SCHEDULE A FREE DEMO OR TO ORDER: Canada: Phone: 1 888 592-5837 Email: csr@walter.com **United States:** Phone: 1 800 522-0321 Email: orderdesk.us@walter.com Technical/product support: Toll Free 1 866 592-583 WALTER.COM Available at:

Walter Surface Technologies Inc.© 2020 All Rights Reserved. Walter Surface Technologies is a trademark or registered trademark of Walter Surface Technologies Inc. Other company, product or service names may be trademarks or service marks of Walter Surface Technologies or others. 98-H 085 (01-20)